

# Package ‘AssumpSure’

August 18, 2025

**Title** 'shiny' Application for Statistical Test Assumption Checking and Guidance

**Version** 1.1.0

**Description** A 'shiny' application to assess statistical assumptions and guide users toward appropriate tests. The app is designed for researchers with minimal statistical training and provides diagnostics, plots, and test recommendations for a wide range of analyses. Many statistical assumptions are implemented using the package 'rstatix' (Kassambara, 2019) <[doi:10.32614/CRAN.package.rstatix](https://doi.org/10.32614/CRAN.package.rstatix)> and 'performance' (Lüdecke et al., 2021) <[doi:10.21105/joss.03139](https://doi.org/10.21105/joss.03139)>.

**License** GPL-3

**Imports** shiny, shinyjs, shinyBS, bslib, htmltools, shinyscreenshot, fontawesome, tidyverse, rstatix, knitr, compositions, car, correlation, MVN, performance, modelbased, patchwork, see, bestNormalize, DHARMa, lmerTest, MASS, nnet, broom, broom.mixed, DT, kableExtra, sjPlot, brglm2, glmmTMB, effectsize, coin

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**URL** <https://github.com/Ahmedbargheet/AssumpSure>

**BugReports** <https://github.com/Ahmedbargheet/AssumpSure/issues>

**NeedsCompilation** no

**Author** Ahmed Bargheet [aut, cre]

**Maintainer** Ahmed Bargheet <ahmed.bargheet@yahoo.com>

**Repository** CRAN

**Date/Publication** 2025-08-18 15:30:02 UTC

## Contents

launch_app	2
------------	---

<b>Index</b>	3
--------------	---

---

launch\_app

---

*Launch the AssumpSure Shiny App*

---

## Description

Launch the AssumpSure Shiny App

## Usage

```
launch_app()
```

## Value

Runs the Shiny app.

## Examples

```
if (interactive()) {  
  launch_app()  
}
```

# **Index**

launch\_app, [2](#)