

Package ‘spatialCatalogueViewer’

August 26, 2025

Type Package

Title A 'Shiny' Tool to Create Interactive Catalogues for Geospatial Data

Version 0.1.2

Date 2025-08-21

Author Sebastien Plutniak [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-6674-3806>>)

Maintainer Sebastien Plutniak <sebastien.plutniak@posteo.net>

Description Seamlessly create interactive online catalogues for geospatial data. Items can be mapped as points or areas and retrieved using either a map or a dynamic table with search form and optional column filters.

License GPL-3

Repository CRAN

Encoding UTF-8

Imports leaflet, leaflet.extras, shiny, shinythemes, DT,

Depends R (>= 4.1.0)

URL <https://github.com/sebastien-plutniak/spatialCatalogueViewer>

BugReports <https://github.com/sebastien-plutniak/spatialCatalogueViewer/issues>

NeedsCompilation no

Date/Publication 2025-08-26 14:20:02 UTC

Contents

spatialCatalogueViewer	2
Index	5

spatialCatalogueViewer

spatialCatalogueViewer

Description

Launch the spatialCatalogueViewer application.

Usage

```
spatialCatalogueViewer(data = NULL,
  text.title = NULL, text.left = NULL, text.top = NULL, text.bottom = NULL,
  map.provider = "Stadia.StamenTerrainBackground",
  map.set.lon = 0, map.set.lat = 0,
  map.legend.variable = NULL, map.legend.labels = NULL,
  map.legend.colors = NULL, map.height = 500,
  map.area.fill.color = "grey", map.area.fill.opacity = 0.5,
  map.show.areas = "never", map.min.zoom = NULL,
  table.hide.columns = NULL, table.filter = "none", table.pageLength = NULL,
  data.download.button = TRUE,
  tabs.contents = NULL,
  theme = "cosmo", css = NULL, js = NULL)
```

Arguments

data	dataframe. The data. See details for mandatory columns.
text.title	character. HTML text to use for the title.
text.left	character. HTML text to use in the columns left to the map.
text.top	character. HTML text to use above the map.
text.bottom	character. HTML text to use below the map.
map.provider	character. Name of the map provider, see https://leaflet-extras.github.io/leaflet-providers/preview/ for possible values.
map.set.lon	integer. Initial longitude to center the map, a value in [-90, 90].
map.set.lat	integer. Initial latitude to center the map, a value in [-90, 90].
map.legend.variable	character. The name of the column to use for the legend. It also defines the legend title.
map.legend.labels	character. A vector with names for the legend's items. Must have the same length than 'map.legend.colors'.
map.legend.colors	character. A vector of color names for the legend's item. Must have the same length than 'map.legend.labels'. See <code>colors()</code> for a list of possible values.
map.height	integer. Height in px of the map.

<code>map.area.fill.color</code>	character. A color name to color the areas. See <code>colors()</code> for a list of possible values.
<code>map.area.fill.opacity</code>	numerical. Opacity of the areas, a value between 0 and 1.
<code>map.show.areas</code>	character or logical. One of TRUE, FALSE, 'always', 'never'. If TRUE or FALSE, a checkbox is displayed under the map.
<code>map.min.zoom</code>	integer. Minimal zoom for the map, between 1 and 12.
<code>table.hide.columns</code>	character. Name(s) of the column(s) to hide in the interactive table. Note that these columns can be searched using the 'Search' form anyways.
<code>table.filter</code>	character. Whether and where to use column filters: 'none': no filters, 'bottom' / 'top': put column filters at the bottom or top of the table.
<code>table.pageSize</code>	integer. Number of rows displayed on each page of the table.
<code>data.download.button</code>	logical. Display or not a button to download the dataset.
<code>tabs.contents</code>	character. A named list with the contents of the optional additional tabs. List elements' names are used as tab labels.
<code>theme</code>	character. Name of the shinytheme to use.
<code>css</code>	character. CSS code.
<code>js</code>	character. Javascript code.

Details

This function launches the 'spatialCatalogueViewer' application.

The dataframe for data has mandatory and optional columns: Mandatory: `resource.name`: Name of the resource (HTML contents is possible). `coordinates`: Either 'lon' and 'lat' columns or 4 columns named 'bbox.lon1', 'bbox.lat1', 'bbox.lon2', 'bbox.lat2' (where lon1 and lat1 refers to the north-west corner of the area and lon2 and lat2 to the south-east corner).

Optional: * `resource.popup`: HTML contents for the map pop-up.

Value

Launch the 'spatialCatalogueViewer' Shiny application.

Author(s)

Sebastien Plutniak <sebastien.plutniak at posteo.net>

See Also

DT leaflet leaflet.extra shiny [shinytheme](#)

Examples

```
if(interactive()){  
  df <- data.frame(lat = c(43.6033, 49.89441, 43.2974),  
                    lon = c(1.4444, 2.29649, 5.3703),  
                    resource.name = c("Toulouse", "Amiens", "Marseille"),  
                    population = c(511684, 135429, 877215),  
                    region = c("Occitanie", "Picardie", "Provence")  
  )  
  # launch the app:  
  spatialCatalogueViewer(data = df,  
                           map.set.lon = 2.37, map.set.lat = 47.29, map.min.zoom = 5)  
}
```

Index

shinytheme, [3](#)

spatialCatalogueViewer, [2](#)